



DIAMOND DBACK

FIREARMS



MC

Defense & Technology





DB380

MODEL:DB380 -KALİBRE: .380ACP -YÜKSEKLİK: 3.75" -AĞIRLIK(BOŞ ŞARJÖR): 8.80Z -NAMLU UZUNLUĞU: 2" -TETİK: ÇİFT KADEME -SÜRGÜ: PASLANMAZ ÇELİK - 3 NOKTALI NİŞANGAH - ARPAÇIK, GEZ ARASI MESAFE: 4.00" GÖRÜŞ AÇISI 4.51" - MANUEL SİSTEM - ŞARJÖR KAPASİTESİ : 6+1 RDS

MODEL: DB380 - CALIBER: .380 ACP - HEIGHT: 3.75" - WEIGHT (UNLOADED): 8.80Z - BARREL LENGTH: 2" - TRIGGER: DOUBLE ACTION ONLY - SLIDE: STAINLESS STEEL - SIGHTS: 3-DOT GLOCK COMPATIBLE - DISTANCE BETWEEN SIGHTS: 4.00" - SIGHT RADIUS: 4.51" - RECOIL SYSTEM: ALL STEEL CAPTURED - MAG CAPACITY: 6+1 RDS





DIAMONDBACK **DB** **ACK**
FIREARMS



DB9



MODEL: DB9 - KALİBRE: 9X19MM - SÜRGÜ: PASLANMAZ ÇELİK - BÜTÜN ÖLÇÜLER: 5.6" - GENİŞLİK SÜRGÜ BİTİŞ YERİNDEN: .9" - GENİŞLİK: .8" - YÜKSEKLİK: 4" - ARPACIK GEZ ARASI MESEFA: 4.25" - NAMLU UZUNLUK: 3" - ŞARJÖR KAPASİTESİ : 6+1 - TETİK: 5.5LBS - AĞIRLIK(BOŞ ŞARJÖR): 11 OZ

MODEL: DB9 - CALIBER: 9X19MM - SLIDE: STAINLESS STEEL - OVERALL LENGTH: 5.6" - WIDTH AT SLIDE STOP: .9" - WIDTH: .8" - HEIGHT: 4" - DISTANCE BETWEEN SIGHTS: 4.25" - BARREL LENGTH: 3" - CAPACITY: 6 + 1 - TRIGGER PULL: 5.5LBS. - WEIGHT (UNLOADED): 11 OZ.

AM²

MODEL: DBAM29 - KALİBRE: 9MM - BÜTÜN ÖLÇÜLER (STANDART ŞARJÖR): 1.1" GENİŞLİK X 6,6" UZUNLUK X 4.7" YÜKSEKLİK - BÜTÜN ÖLÇÜLER(UZATILMIŞ ŞARJÖR): 1.1" GENİŞLİK X 6,9" UZUNLUK X 5.6" - AĞIRLIK(BOŞ ŞARJÖR): 210Z - NAMLU UZUNLUĞU: 3.5" - TETİK: 5.5LBS-ÇİFT KADEME - SÜRGÜ: PASLANMAZ ÇELİK - 3 NOKTALI NİŞANGAH - MANUEL SİSTEM - ŞARJÖR KAPASİTESİ : 12 & 17 RDS



MODEL: DBAM29 - CALIBER: 9MM - OVERALL DIMENSIONS (FLUSH MAG): 1.1" W X 6.6" L X 4.7" H - OVERALL DIMENSIONS (EXTENDED MAG): 1.1" W X 6.9" L X 5.6" H - WEIGHT (UNLOADED): 210Z - BARREL LENGTH: 3.5" - TRIGGER: 5.5LBS STRIKER-FIRED DOUBLE ACTION ONLY - SLIDE: STAINLESS STEEL - SIGHTS: 3-DOT GLOCK COMPATIBLE - RECOIL SYSTEM: ALL STEEL CAPTURED - MAG CAPACITY: 12 & 17 RDS





CARBON SERIES





MODEL: DBI5CCMLB - KALİBRE: 5.56 NATO- KAPLAMA: BLACK ANODIZED HARDCOAT - NAMLU: DIAMOND-BACK BARRELS 16", 4150 CHROME-MOLY BLACK NITRIDE, FREE FLOAT, MEDIUM, 1:8 RH TWIST - GAZ SİSTEMİ: CARBINE UZUNLUK - BOLT CARRIER GROUP: 5.56 SPORTR MODEL - ÜST EL TUTAMAĞI VE GEZ: A3 FLATTOP FORGED 7075 T-6 ALÜMİNYUM - ALT EL TUTAMAĞI: FORGED 7075 T-6 ALÜMİNYUM - EL KUNDAĞI: 12" ALÜMİNYUM M-LOK RAIL - GRIP: MAGPUL MOE - STOCK: MAGPUL MOE CARBINE - TOPLAM UZUNLUK(DİPÇİK KAPALI): 32" - TOPLAM UZUNLUK (DİPÇİK UZATILMIŞ): 36" - KURMA KOLU: A2 FLASH HİDER, TPI 1/2X28

MODEL: DBI5CCMLB - CALIBER: 5.56 NATO - FINISH: BLACK ANODIZED HARDCOAT - BARREL: DIAMOND-BACK BARRELS 16", 4150 CHROME-MOLY BLACK NITRIDE, FREE FLOAT, MEDIUM, 1:8 RH TWIST - GAS SYSTEM: CARBINE LENGTH - BOLT CARRIER GROUP: 5.56 SPORTR MODEL - UPPER RECEIVER: A3 FLATTOP FORGED 7075 T-6 ALUMINUM - LOWER RECEIVER: FORGED 7075 T-6 ALUMINUM - HANDGUARD: 12" ALUMINUM M-LOK RAIL - GRIP: MAGPUL MOE - STOCK: MAGPUL MOE CARBINE - OVERALL LENGTH (COLLAPSED): 32" - OVERALL LENGTH (EXPANDED): 36" - MUZZLE DEVICE: A2 FLASH HİDER, TPI 1/2X28



BLACK GOLD SERIES



MODEL: DB15BGSB - KALİBRE: 5.56 NATO- KAPLAMA: BLACK ANODIZED HARDCOAT - NAMLU: DIAMONDBACK BARRELS 16", 4150 CHROME-MOLY BLACK NITRIDE, FREE FLOAT, MEDIUM, 1:8 RH TWIST - GAZ SİSTEMİ: MID LENGTH - BOLT CARRIER GROUP: SHOT-PENED, MAGNETIC PARTICLE INSPECTED MIL SPEC 8620 CARRIER, LASERED LOGO - ÜST EL TUTAMAĞI VE GEZ: A3 FLATTOP FORGED 7075 T-6 ALÜMİNYUM, T-MARKED - ALT EL TUTAMAĞI: FORGED 7075 T-6 ALÜMİNYUM (DIAMONDBACK BLACK GOLD LOWER) W/ ENHANCED TRIGGER GUARD - EL KUNDAĞI: DIAMONDBACK 15" ALUMINUM M-LOK (V RAIL) W/ ANTI-SLIP TEXTURE PADS - TETİK: STANDART MIL SPEC - GRIP: MAGPUL K2 - STOCK: MAGPUL CTR - MAG: MAGPUL GEN 2 PMAG 30 RD - NİŞANGAH: MAGPUL MBUS SIGHTS - KURMA KOLU: DIAMONDBACK FLASH HIDER, TPI 1/2X28

MODEL: DB15BGSB - CALIBER: 5.56 NATO - FINISH: BLACK ANODIZED HARDCOAT - BARREL: DIAMONDBACK BARRELS 16", 4150 CHROME-MOLY BLACK NITRIDE, FREE FLOAT, MEDIUM, 1:8 RH TWIST - GAS SYSTEM: MID LENGTH - BOLT CARRIER GROUP: SHOT-PEENED, MAGNETIC PARTICLE INSPECTED MIL SPEC 8620 CARRIER, LASERED LOGO - UPPER RECEIVER: A3 FLATTOP FORGED 7075 T-6 ALUMINUM, T-MARKED - LOWER RECEIVER: FORGED 7075 T-6 ALUMINUM (DIAMONDBACK BLACK GOLD LOWER) W/ ENHANCED TRIGGER GUARD - HANDGUARD: DIAMONDBACK 15" ALUMINUM M-LOK (V RAIL) W/ ANTI-SLIP TEXTURE PADS - TRIGGER: STANDARD MIL SPEC - GRIP: MAGPUL K2 - STOCK: MAGPUL CTR - MAG: MAGPUL GEN 2 PMAG 30 RD - SIGHTS: MAGPUL MBUS SIGHTS - MUZZLE DEVICE: DIAMONDBACK FLASH HIDER, TPI 1/2X28




DIAMOND SERIES



MODEL: DBI5DB KALİBRE: 5.56 NATO- KAPLAMA: BLACK ANODIZED HARDCOAT - NAMLU: DIAMONDBACK BARRELS 16", 4150 CHROME-MOLY BLACK NITRIDE, FREE FLOAT, MEDIUM, 1:8 RH TWIST - GAZ SİSTEMİ: MID LENGHT - BOLT CARRIER GROUP: SHOT-PEENED, MAGNETIC PARTICLE INSPECTED MIL SPEC 8620 CARRIER, LASERED LOGO - ÜST EL TUTAMAĞI VE GEZ: A3 FLATTOP FORGED 7075 T-6 ALÜMİNYUM, T-MARKED - ALT EL TUTAMAĞI: FORGED 7075 T-6 ALÜMİNYUM (DIAMONDBACK BLACK GOLD LOWER) W/ ENHANCED TRIGGER SKELETONIZED GUARD - EL KUNDAĞI: DIAMONDBACK 15" ALUMINUM M-LOK ANTI-ROTATION (S RAIL) - TETİK: 3.5LB CMC SINGLE STAGE DROP IN - GRIP: MAGPUL K2+ - STOCK: MAGPUL ACS-L - MAG: MAGPUL GEN 2 PMAG 30 RD - KURMA KOLU: DIAMONDBACK MUZZLE BRAKE, TPI 1/2X28

MODEL: DBI5DB - CALIBER: 5.56 NATO - FINISH: BLACK ANODIZED HARDCOAT - BARREL: DIAMONDBACK BARRELS 16", 4150 CHROME-MOLY BLACK NITRIDE, FREE FLOAT, MEDIUM, 1:8 RH TWIST - GAS SYSTEM: MID LENGTH - BOLT CARRIER GROUP: SHOT-PEENED, MAGNETIC PARTICLE INSPECTED MIL SPEC 8620 CARRIER, LASERED LOGO - UPPER RECEIVER: A3 FLATTOP FORGED 7075 T-6 ALUMINUM, T-MARKED - LOWER RECEIVER: FORGED 7075 T-6 ALUMINUM (DIAMONDBACK DIAMOND LOWER) W/ ENHANCED TRIGGER SKELETONIZED GUARD - HANDGUARD: DIAMONDBACK 15" ALUMINUM M-LOK ANTI-ROTATION (S RAIL) - TRIGGER: 3.5LB CMC SINGLE STAGE DROP IN - GRIP: MAGPUL K2+ - STOCK: MAGPUL ACS-L - MAG: MAGPUL GEN 2 PMAG 30 RD - MUZZLE DEVICE: DIAMONDBACK MUZZLE BRAKE, TPI 1/2X28







AR PISTOL DIAMOND SERIES



MODEL: DB15PDS7B - KALİBRE: 5.56 NATO - KAPLAMA: BLACK ANODIZED HARDCOAT - NAMLU: DIAMONDBACK BARRELS 7", 4150 CHROME-MOLY BLACK NITRIDE, FREE FLOAT, MEDIUM, 1:8 RH TWIST - GAZ SİSTEMİ: PISTOL LENGTH - BOLT CARRIER GROUP: SHOT-PEENED, MAGNETIC PARTICLE INSPECTED MIL SPEC 8620 CARRIER, LASERED LOGO - ÜST EL TUTAMAĞI VE GEZ: A3 FLATTOP FORGED 7075 T-6 ALÜMİNYUM, T-MARKED - ALT EL TUTAMAĞI: FORGED 7075 T-6 ALÜMİNYUM (DIAMONDBACK DIAMOND LOWER) W/ ENHANCED TRIGGER SKELETONIZED GUARD - EL KUNDAĞI: DIAMONDBACK 9" ALUMINUM M-LOK ANTI-ROTATION (S RAIL) - TETİK: STANDART - GRIP: MAGPUL K2+ - BRACE: GEARHEAD WORKS TAILHOK MOD 2 - MAG: MAGPUL GEN 2 PMAG 30 RD - NİŞANGAH: MAGPUL MBUS SIGHTS - KURMA KOLU: KAK FLASH CAN, TPI 1/2X28

MODEL: DB15PDS7B - CALIBER: 5.56 NATO - FINISH: BLACK ANODIZED HARDCOAT - BARREL: DIAMONDBACK BARRELS 7", 4150 CHROME-MOLY BLACK NITRIDE, FREE FLOAT, HEAVY, 1:8 RH TWIST - GAS SYSTEM: PISTOL LENGTH - BOLT CARRIER GROUP: SHOT-PEENED, MAGNETIC PARTICLE INSPECTED MIL SPEC 8620 CARRIER, LASERED LOGO - UPPER RECEIVER: A3 FLATTOP FORGED 7075 T-6 ALUMINUM, T-MARKED - LOWER RECEIVER: FORGED 7075 T-6 ALUMINUM (DIAMONDBACK DIAMOND LOWER) W/ ENHANCED TRIGGER SKELETONIZED GUARD - HANDGUARD: DIAMONDBACK 9" ALUMINUM M-LOK ANTI-ROTATION (S RAIL) - TRIGGER: STANDARD - GRIP: MAGPUL K2+ - BRACE: GEARHEAD WORKS TAILHOOK MOD 2 - MAG: MAGPUL GEN 2 PMAG 30 RD - SIGHTS: MAGPUL MBUS SIGHTS - MUZZLE DEVICE: KAK FLASH CAN, TPI 1/2X28



9MM PISTOL CARBINE



MODEL: DB9RPLB10 - KALİBRE: 9MM LUGER- KAPLAMA: BLACK ANODIZED HARDCOAT - NAMLU: DIAMONDBACK BARRELS 9", 4150 CHROME-MOLY BLACK NITRIDE, FREE FLOAT, MEDIUM, 1:10 RH TWIST - GAZ SİSTEMİ: BLOWBACK - BOLT CARRIER GROUP: BLACK NITRIDE 9R BOLT CARRIER - ÜST EL TUTAMAĞI VE GEZ: A3 FLATTOP FORGED 7075 T-6 ALÜMİNYUM, T-MARKED - ALT EL TUTAMAĞI: STANDART 9R FORGED 7075 T-6 ALÜMİNYUM - EL KUNDAĞI: DIAMONDBACK 9" ALUMINUM M-LOK - TETİK: STANDART - GRIP: MAGPUL MOE - BRACE: GEARHEAD WORKS TAILHOOK MOD 2 - MAG: PROMAG 32RD - KURMA KOLU: A2 FLASH HIDER, 5/8X24 TPI

MODEL: DB9RPLB10 - CALIBER: 9MM LUGER - FINISH: BLACK ANODIZED HARDCOAT - BARREL: DIAMONDBACK BARRELS 9", 4150 CHROME MOLY BLACK NITRIDE, FREE FLOAT, MEDIUM, 1:10 RH TWIST - GAS SYSTEM: BLOWBACK - BOLT CARRIER GROUP: BLACK NITRIDE 9R BOLT CARRIER - UPPER RECEIVER: A3 FLATTOP FORGED 7075 T-6 ALUMINUM, T-MARKED - LOWER RECEIVER: STANDARD 9R FORGED 7075 T-6 ALUMINUM - HANDGUARD: DIAMONDBACK 9" ALUMINUM M-LOK - TRIGGER: STANDARD - GRIP: MAGPUL MOE - BRACE: GEARHEAD WORKS TAILHOOK MOD 2 - MAG: PROMAG 32RD - MUZZLE DEVICE: A2 FLASH HIDER, 5/8X24 TPI





AMERICAN DEFENSE INDUSTRIES, LLC
LANSING, MI, USA

DBP DB9R



CAL. MULTI
DB9R
DB9M00228



DBP DB9R





SKU: DBX57BGFB
AKSIYON TİPİ: YARI OTOMATİK
OPERASYON TİPİ: KİTLİ KAMA, ÇİFT GAZLI PİSTON
KALİBRE: 5.7X28MM
NAMLU UZUNLUĞU: 8"
BARREL MUZZLE THREADS: 1/2 - 28 RH
KURMA KOLU DAHİL: DBX MUZZLE DEVICE
GÖRÜŞLER DAHİL: NONE
NAMLU TUTMA KİTİ DAHİL: MAGPUL TUTMA KİTİ
QD SLING SWIVEL INCLUDED: NONE
ŞARJÖR ADET: 1
ŞARJÖR TİPİ: 20-ROUND (FN FIVE-SEVEN COMPATIBLE)*
DİPÇİK DAHİL: REAR PICATINNY MOUNTED, SIDE-FOLDING
RIFLING TWIST RATE: 1:9" RH

TETİK/ATEŞ KONTROLÜ: STANDART AR-15 "MIL-SPEC"
EL KUNDAĞI: 6061 ALUMINUM, HARD COAT ANODIZED, M-LOK COMPATIBLE
ON LEFT, RIGHT, & BOTTOM
GRIP: MAGPUL MOE-K
GÖVDE: 7075 ALUMINUM, HARD COAT ANODIZED
TOPLAM UZUNLUK(DİPÇİK DAHİL DEĞİL): 16.1"
TOPLAM UZUNLUK (DİPÇİK DAHİL): 16.9"
TOPLAM UZUNLUK (DİPÇİK AÇIK): 25.4"
TOPLAM GENİŞLİK(DİPÇİK VE KONTROLLER DAHİL DEĞİL): 1.25"
TOPLAM GENİŞLİK(KURMA KOLU DAHİL, DİPÇİK DAHİL DEĞİL): 1.75"
TOPLAM YÜKSEKLİK(NİŞANGAH HARİÇ): 7.3"
AĞIRLIK (BOŞ ŞARJÖR & DİPÇİK DAHİL DEĞİL): 3.0 LB
AĞIRLIK(BOŞ ŞARJÖR & DİPÇİK DAHİL): 3.7 LB

SKU: DBX57BGFB
ACTION TYPE: SEMI-AUTO
OPERATING SYSTEM: LOCKED BREECH, DUAL GAS PISTON
CALIBER: 5.7X28MM
BARREL LENGTH: 8"
BARREL MUZZLE THREADS: 1/2-28 RH
MUZZLE DEVICE INCLUDED: DBX MUZZLE DEVICE
SIGHTS INCLUDED: NONE
HANDSTOP KIT INCLUDED: MAGPUL HANDSTOP KIT
QD SLING SWIVEL INCLUDED: NONE
MAGAZINE QTY INCLUDED: 1
MAGAZINE TYPE: 20-ROUND (FN FIVE-SEVEN* COMPATIBLE)*
BRACE INCLUDED: REAR PICATINNY MOUNTED, SIDE-FOLDING
RIFLING TWIST RATE: 1:9" RH
TRIGGER/FIRE CONTROL: STANDARD AR-15 "MIL-SPEC"
FOREND/HANDBUARD: 6061 ALUMINUM, HARD COAT ANODIZED,
M-LOK COMPATIBLE ON LEFT, RIGHT, & BOTTOM
GRIP: MAGPUL MOE-K
FRAME/BODY: 7075 ALUMINUM, HARD COAT ANODIZED
OVERALL LENGTH (NO BRACE): 16.1"
OVERALL LENGTH (BRACE FOLDED): 16.9"
OVERALL LENGTH (BRACE EXTENDED): 25.4"
OVERALL WIDTH (EXCLUDING CONTROLS, NO BRACE): 1.25"
OVERALL WIDTH (INCLUDING CHARGING HANDLE, NO BRACE): 1.75"
OVERALL HEIGHT (WITHOUT SIGHTS): 7.3"
WEIGHT (WITH EMPTY MAGAZINE - NO BRACE): 3.0 LB
WEIGHT (WITH EMPTY MAGAZINE & BRACE): 3.7 LB

DBX

